


Wire, Ferrules & Eyes

Sta-Lok Terminals Limited

Established in 1972, **Sta-Lok Terminals** is an imaginative and successful British Company. Dedicated to the ongoing design, development and manufacture of high quality fittings for wire ropes, Sta-Lok products are expertly manufactured to the highest standards, gaining a worldwide reputation for outstanding quality and reliability. High specification stainless steel and bronze alloys are selected for their tensile strength and excellent corrosion resistance. Our in-house manufacturing ensures strict quality control.

Wire Construction 1 x 19




Order Code	Description
STW119-2	Wire construction 1 x 19, 2.0mm, per 100m
STW119-2.5	Wire construction 1 x 19, 2.5mm, per 100m
STW119-3	Wire construction 1 x 19, 3.0mm, per 100m
STW119-4	Wire construction 1 x 19, 4.0mm, per 100m
STW119-5	Wire construction 1 x 19, 5.0mm, per 100m
STW119-6	Wire construction 1 x 19, 6.0mm, per 100m
STW119-7	Wire construction 1 x 19, 7.0mm, per 100m
STW119-8	Wire construction 1 x 19, 8.0mm, per 100m
STW119-10	Wire construction 1 x 19, 10.0mm, per 100m
STW119-12	Wire construction 1 x 19, 12.0mm, per 100m

White PVC Covered 1 x 19


Order Code	Description
STWPC1-4/6	White PVC covered 1 x 19, 4/6mm, per 100m

White PVC Covered 7 x 7



Order Code	Description
STWPC7-4/6	Wire construction 7 x 7, 4/6mm, per 100m

Wire Construction 7 x 19



Order Code	Description
STW19-2.5	Wire construction 7 x 19, 2.5mm, per 100m
STW19-3	Wire construction 7 x 19, 3.0mm, per 100m
STW19-4	Wire construction 7 x 19, 4.0mm, per 100m
STW19-5	Wire construction 7 x 19, 5.0mm, per 100m
STW19-6	Wire construction 7 x 19, 6.0mm, per 100m
STW19-8	Wire construction 7 x 19, 8.0mm, per 100m

Copper Ferrules - British Standard



Order Code	Description
STBF-CU02	Copper Ferrule, I.W.R.C. 1.5mm, Fibre core 2.0mm
STBF-CU02.5	Copper Ferrule, I.W.R.C. 2.0mm, Fibre core 2.5mm
STBF-CU03	Copper Ferrule, I.W.R.C. 2.5mm, Fibre core 3.0mm
STBF-CU03.5	Copper Ferrule, I.W.R.C. 3.0mm, Fibre core 3.5mm
STBF-CU04	Copper Ferrule, I.W.R.C. 3.5mm, Fibre core 4.0mm
STBF-CU04.5	Copper Ferrule, I.W.R.C. 4.0mm, Fibre core 4.5mm
STBF-CU05	Copper Ferrule, I.W.R.C. 5.0mm, Fibre core 5.0mm
STBF-CU06	Copper Ferrule, I.W.R.C. 6.0mm, Fibre core 6.0mm


I.W.R.C. = Internal Wire Rope Core

Sta-Lok Eye 1 x 19



Order Code	Description
ST033-03	Sta-Lok Eye 1 x 19, wire-3mm, hole-6.5mm
ST033-04	Sta-Lok Eye 1 x 19, wire-4mm, hole-8.0mm
ST033-05	Sta-Lok Eye 1 x 19, wire-5mm, hole-10.0mm
ST033-06	Sta-Lok Eye 1 x 19, wire-6mm, hole-13.0mm
ST033-07	Sta-Lok Eye 1 x 19, wire-7mm, hole-13.0mm
ST033-08-1/2	Sta-Lok Eye 1 x 19, wire-8mm, hole-13.0mm


Sta-lok Fork 1 x 19



Order Code	Description
ST034-03	Sta-Lok Fork 1 x 19, wire-3mm, pin-5.0mm
ST034-04	Sta-Lok Fork 1 x 19, wire-4mm, pin-6.4mm
ST034-05	Sta-Lok Fork 1 x 19, wire-5mm, pin-8.0mm
ST034-06	Sta-Lok Fork 1 x 19, wire-6mm, pin-10.9mm
ST034-07	Sta-Lok Fork 1 x 19, wire-7mm, pin-10.9mm
ST034-08	Sta-Lok Fork 1 x 19, wire-8mm, pin-12.6mm

Forks, Studs, Insulators, Wedges & Formers

Sta-Lok Stud 1 x 19 - UNF Thread



Order Code	Description
ST036-04-1/4	Sta-Lok Stud 1 x 19, wire-4mm, thread-1/4"
ST036-04	Sta-Lok Stud 1 x 19, wire-4mm, thread-5/16"
ST036-05	Sta-Lok Stud 1 x 19, wire-5mm, thread-3/8"
ST036-06	Sta-Lok Stud 1 x 19, wire-6mm, thread-7/16"
ST036-07	Sta-Lok Stud 1 x 19, wire-7mm, thread-1/2"
ST036-08	Sta-Lok Stud 1 x 19, wire-8mm, thread-1/2"
ST036-05-516	Sta-Lok Stud 1 x 19, wire-5mm, thread-5/16"
ST036-05-716	Sta-Lok Stud 1 x 19, wire-5mm, thread-7/16"
ST036-07-716	Sta-Lok Stud 1 x 19, wire-7mm, thread-7/16"

Sta-Lok Wedge 1 x 19



Order Code	Description
ST126-03	Sta-Lok Wedge 1 x 19, wire-3, 5 per pack
ST126-04	Sta-Lok Wedge 1 x 19, wire-4, 5 per pack
ST126-05	Sta-Lok Wedge 1 x 19, wire-5, 5 per pack
ST126-06	Sta-Lok Wedge 1 x 19, wire-6, 5 per pack
ST126-07	Sta-Lok Wedge 1 x 19, wire-7, 5 per pack
ST126-08	Sta-Lok Wedge 1 x 19, wire-8, 2 per pack
ST127-05	Sta-Lok Wedge 7 strand, wire-5, 5 per pack
ST127-06	Sta-Lok Wedge 7 strand, wire-6, 5 per pack

Sta-Lok Former



Order Code	Description
ST115-03	Sta-Lok Former, wire-3, 5 per pack
ST115-04	Sta-Lok Former, wire-4, 5 per pack
ST115-05	Sta-Lok Former, wire-5, 5 per pack
ST115-06	Sta-Lok Former, wire-6, 5 per pack
ST115-07	Sta-Lok Former, wire-7, 5 per pack
ST115-08	Sta-Lok Former, wire-8, 2 per pack

Guard Rail Eye - Interlinked, Metric thread



Order Code	Description
STGE2-M8	Guard Rail Eye, interlinked, thread M8
STGE2-516	Guard Rail Eye, interlinked, thread M8, 5/16"

Guard Rail Eye - Single, Metric thread



Order Code	Description
STGE1-M8	Guard Rail Eye, single, thread M8

Guard Rail Eye - Single, UNF thread



Order Code	Description
STGE1-516	Guard Rail Eye, single, UNF thread

Pelican Hook - Metric thread




Order Code	Description
STPH-M8	Pelican Hook, excludes nut, thread M8
STPH-516	Pelican Hook, excludes nut, thread M8, 5/16"

Eye Nut



Order Code	Description
STEN-M6	Eye Nut, thread M6
STEN-M8	Eye Nut, thread M8
STEN-M10	Eye Nut, thread M10
STEN-M12	Eye Nut, thread M12



Swage Forks etc.

Eye Bolt (includes nut & washer)



Order Code	Description
STEB-M6	Eye Bolt, thread M6
STEB-M8	Eye Bolt, thread M8
STEB-M10	Eye Bolt, thread M10
STEB-M12	Eye Bolt, thread M12

Swage Stud, Open Body, UNF thread



Order Code	Description
ST051-03	Swage Stud, Open Body, wire 3mm, thread 1/4
ST051-04-1/4	Swage Stud, Open Body, wire 4mm, thread 1/4
ST051-04	Swage Stud, Open Body, wire 4mm, thread 5/16
ST051-05-5/16	Swage Stud, Open Body, wire 5mm, thread 5/16
ST051-05	Swage Stud, Open Body, wire 5mm, thread 3/8
ST051-06-3/8	Swage Stud, Open Body, wire 6mm, thread 3/8
ST051-06	Swage Stud, Open Body, wire 6mm, thread 7/16
ST051-07-7/16	Swage Stud, Open Body, wire 7mm, thread 7/16
ST051-07	Swage Stud, Open Body, wire 7mm, thread 1/2
ST051-08	Swage Stud, Open Body, wire 8mm, thread 1/2
ST051-10	Swage Stud, Open Body, wire 10mm, thread 5/8
ST051-04-M8R	Swage Stud, Open Body, wire 4mm, thread M8
ST051-04-M8SH	Short Swage Stud, Open Body, wire 4mm, thread M8
ST051-05-M8SH	Short Swage Stud, Open Body, wire 5mm, thread M8

Welded Swage Fork



Order Code	Description
WSF-03	Welded Swage Fork, wire 3mm, pin 5.9
WSF-04	Welded Swage Fork, wire 4mm, pin 7.9
WSF-05	Welded Swage Fork, wire 5mm, pin 8.9
WSF-06	Welded Swage Fork, wire 6mm, pin 11.9

Stemball Swage



Order Code	Description
042-04	Stemball Swage, wire 4mm
042-05	Stemball Swage, wire 5mm
042-06	Stemball Swage, wire 6mm

Swage Fork



Order Code	Description
ST035-03	Swage Fork, wire 3mm, pin 6.2
ST035-04	Swage Fork, wire 4mm, pin 7.7
ST035-05	Swage Fork, wire 5mm, pin 9.3
ST035-06	Swage Fork, wire 6mm, pin 10.9
ST035-07	Swage Fork, wire 7mm, pin 10.9
ST035-08	Swage Fork, wire 8mm, pin 12.6

Toggle Swage



Order Code	Description
ST038-03	Toggle Swage, wire 3mm, pin 6.4
ST038-04	Toggle Swage, wire 4mm, pin 7.9
ST038-05	Toggle Swage, wire 5mm, pin 9.5
ST038-06	Toggle Swage, wire 6mm, pin 11.1
ST038-07	Toggle Swage, wire 7mm, pin 12.7
ST038-08	Toggle Swage, wire 8mm, pin 12.7

Swage Eye



Order Code	Description
ST039-03	Swage Eye, wire 3mm, hole 6.4
ST039-04	Swage Eye, wire 4mm, hole 8.1
ST039-05	Swage Eye, wire 5mm, hole 9.6
ST039-06	Swage Eye, wire 6mm, hole 11.2
ST039-07	Swage Eye, wire 7mm, hole 12.8
ST039-08	Swage Eye, wire 8mm, hole 14.5

Toggle & Blank



Order Code	Description
STB20-14	Toggle & Blank, thread 1/4, pin 6.4
STB20-516	Toggle & Blank, thread 5/16, pin 7.9
STB20-38	Toggle & Blank, thread 3/8, pin 9.5
STB20-716	Toggle & Blank, thread 7/16, pin 11.1
STB20-12	Toggle & Blank, thread 1/2, pin 12.7

Swage Forks etc.

Toggle & Swage



Order Code	Description
STB24-03	Toggle & Swage, wire 3mm, thread 1/4
STB24-04	Toggle & Swage, wire 4mm, thread 5/16
STB24-5165	Toggle & Swage, wire 5mm, thread 5/16
STB24-05	Toggle & Swage, wire 5mm, thread 3/8
STB24-386	Toggle & Swage, wire 6mm, thread 3/8
STB24-06	Toggle & Swage, wire 6mm, thread 7/16
STB24-7167	Toggle & Swage, wire 7mm, thread 7/16
STB24-07	Toggle & Swage, wire 7mm, thread 1/2
STB24-08	Toggle & Swage, wire 8mm, thread 1/2

Fork & Blank



Order Code	Description
STB30-516	Fork & Blank, thread 5/16, pin 7.7
STB30-38	Fork & Blank, thread 3/8, pin 9.3
STB30-716	Fork & Blank, thread 7/16, pin 10.9
STB30-12	Fork & Blank, thread 1/2, pin 12.6

ST Turnbuckle Fork & Swage welded fork



Order Code	Description
WT28-03-M6	ST Turnbuckle Fork & Swage, wire 3mm, thread M6
WT28-04-M6	ST Turnbuckle Fork & Swage, wire 4mm, thread M6
WT28-04-M8	ST Turnbuckle Fork & Swage, wire 4mm, thread M8
WT28-05-M8	ST Turnbuckle Fork & Swage, wire 5mm, thread M8
WT28-05-M10	ST Turnbuckle Fork & Swage, wire 5mm, thread M10
WT28-06-M10	ST Turnbuckle Fork & Swage, wire 6mm, thread M10

ST Turnbuckle Fork & Fork welded fork



Order Code	Description
WT31-M6	ST Turnbuckle Fork & Fork, thread M6, pin 6
WT31-M8	ST Turnbuckle Fork & Fork, thread M8, pin 8
WT31-M10	ST Turnbuckle Fork & Fork, thread M9, pin 9

Fork & Fork



Order Code	Description
STB31-516	Fork & Fork, thread 5/16, pin 7.7
STB31-38	Fork & Fork, thread 3/8, pin 9.3
STB31-58	Fork & Fork, thread 5/8, pin 15.6

ST Turnbuckle Toggle & Fork



Order Code	Description
STWT21-M6	ST Turnbuckle Toggle & Fork, thread M6, pin 6
STWT21-M8	ST Turnbuckle Toggle & Fork, thread M8, pin 8
STWT21-M10	ST Turnbuckle Toggle & Fork, thread M10, pin 9

ST Turnbuckle Fork & Fork



Order Code	Description
STWT31-M6	ST Turnbuckle Fork & Fork, thread M6, pin 6
STWT31-M8	ST Turnbuckle Fork & Fork, thread M8, pin 8

Stainless Steel Thimble



Order Code	Description
T-03	Stainless Steel Thimble, wire 3mm
T-04	Stainless Steel Thimble, wire 4mm
T-05	Stainless Steel Thimble, wire 5mm
T-06	Stainless Steel Thimble, wire 6mm
T-07	Stainless Steel Thimble, wire 7mm
T-08	Stainless Steel Thimble, wire 8mm



Shackles, Rope Grips, Chain, Rigging Screws

AP Lifting Gear

AP Lifting Gear offers a substantial range of fully galvanised products. We have a full range in stock, including Stainless Steel Shackles, Jet and Folding Anchors (galvanised) and items can be ordered on request. All our Shackles are Zinc Plated.

Commercial Bow Shackle




Order Code	Description
COMB05	Body dia. 5mm / 1/4", zinc plated, galvanised
COMB06	Body dia. 6mm / 3/16", zinc plated, galvanised
COMB08	Body dia. 8mm / 5/16", zinc plated, galvanised
COMB10	Body dia. 10mm / 3/8", zinc plated, galvanised
COMB11	Body dia. 11mm / 7/16", zinc plated, galvanised
COMB12	Body dia. 12mm / 1/2", zinc plated, galvanised
COMB16	Body dia. 16mm / 5/8", zinc plated, galvanised
COMB20	Body dia. 20mm / 3/4", zinc plated, galvanised
COMB22	Body dia. 22mm / 7/8", zinc plated, galvanised
COMB25	Body dia. 25mm / 1", zinc plated, galvanised

Commercial Dee Shackle




Order Code	Description
COMD05	Body dia. 5mm / 3/16", zinc plated, galvanised
COMD06	Body dia. 6mm / 1/4", zinc plated, galvanised
COMD08	Body dia. 8mm / 5/16", zinc plated, galvanised
COMD10	Body dia. 10mm / 3/8", zinc plated, galvanised
COMD11	Body dia. 11mm / 7/16", zinc plated, galvanised
COMD12	Body dia. 12mm / 1/2", zinc plated, galvanised
COMD16	Body dia. 16mm / 5/8", zinc plated, galvanised
COMD20	Body dia. 20mm / 3/4", zinc plated, galvanised
COMD22	Body dia. 22mm / 7/8", zinc plated, galvanised
COMD25	Body dia. 25mm / 1", zinc plated, galvanised

Commercial Wire Rope Grips



Order Code	Description
COMG03	Nominal Rope dia. 3mm, galvanised
COMG05	Nominal Rope dia. 5mm, galvanised
COMG06	Nominal Rope dia. 6.5mm, galvanised
COMG08	Nominal Rope dia. 8mm, galvanised
COMG10	Nominal Rope dia. 10mm, galvanised

Chain Swivels



Order Code	Description
GMS06	Size 6mm / 1/4", galvanised
GMS08	Size 8mm / 5/16", galvanised
GMS10	Size 10mm / 3/8", galvanised
GMS12	Size 12mm / 1/2", galvanised
GMS16	Size 16mm / 5/8", galvanised
GMS20	Size 20mm / 3/4", galvanised

Short Link Chain



Order Code	Description
CNSLG06	Size 6mm / 1/4", galvanised
CNSLG08	Size 8mm / 5/16", galvanised
CNSLG10	Size 10mm / 3/8", galvanised
CNSLG12	Size 12mm / 1/2", galvanised

Rigging Screws with Locknuts



Order Code	Description
RSJJ06	SWL Tonne 0.15, 6mm / 1/4", jaw & jaw
RSJJ08	SWL Tonne 0.20, 8mm / 5/16", jaw & jaw
RSJJ10	SWL Tonne 0.30, 10mm / 3/8", jaw & jaw
RSJJ12	SWL Tonne 0.50, 12mm / 1/2", jaw & jaw

Rowlocks with Plates



Order Code	Description
ROW10	Shank dia. 3/8"
ROW11	Shank dia. 7/16"
ROW12	Shank dia. 1/2"


Anchors, Signal Cones, Spring Clips etc

Jet Anchors



Order Code	Description
ANB02	Size 2kgs
ANB05	Size 5kgs
ANB07	Size 7.5kgs
ANB10	Size 10kgs
ANB15	Size 15kgs
ANB20	Size 20kgs
ANB25	Size 25kgs

Folding Anchors



Order Code	Description
ANF01.5	Size 1.5kgs, galvanised
ANF02.5	Size 2.5kgs, galvanised
ANF03.2	Size 3.2kgs, galvanised
ANF04	Size 4kgs, galvanised
ANF06	Size 6kgs, galvanised
ANF08	Size 8kgs, galvanised

Signal Cones & Balls



Order Code	Description
NSC	Signal Cone, Height 46cm, Width 33cm
NSB	Signal Ball, Diameter 35cm

Spring Clips - Nylon



Order Code	Description
NSC16	Dia. Pipe 16mm
NSC25	Dia. Pipe 25mm
NSC30	Dia. Pipe 30mm

Rowlocks

Order Code	Description
NRL	Size 50mm x 17mm



Thimbles - Galvanised




Order Code	Description
BST06	Rope Dia. 6mm
BST08	Rope Dia. 8mm
BST10	Rope Dia. 10mm
BST12	Rope Dia. 12mm
BST16	Rope Dia. 16mm
BST20	Rope Dia. 20mm

Dee Shackles with Screwed Collar Pin



Order Code	Description
SSD04	Body dia. 4mm, Stainless Steel
SSD05	Body dia. 5mm, Stainless Steel
SSD06	Body dia. 6mm, Stainless Steel
SSD08	Body dia. 8mm, Stainless Steel
SSD10	Body dia. 10mm, Stainless Steel
SSD12	Body dia. 12mm, Stainless Steel


Dee Shackles with Allen Key Flush Pin



Order Code	Description
SSDD06	Body dia. 6mm, Stainless Steel
SSDD08	Body dia. 8mm, Stainless Steel
SSDD10	Body dia. 10mm, Stainless Steel
SSDD12	Body dia. 12mm, Stainless Steel


Stainless Steel Shackles & Carbine Hooks

Strip Dee Shackles with Screw Pin



Order Code	Description
SSSD04	Body dia. 4mm
SSSD05	Body dia. 5mm
SSSD06	Body dia. 6mm
SSSD08	Body dia. 8mm

Key Pin Dee Shackles



Order Code	Description
SSKPF05	Body dia. 5mm
SSKPF06	Body dia. 6mm
SSKPF08	Body dia. 8mm

Bow Shackle with Screwed Collar Pin



Order Code	Description
SSB04	Body dia. 4mm
SSB05	Body dia. 5mm
SSB06	Body dia. 6mm
SSB08	Body dia. 8mm
SSB10	Body dia. 10mm
SSB12	Body dia. 12mm

Long Dee Shackle with Screwed Collar Pin



Order Code	Description
SSLD04	Body dia. 4mm
SSLD05	Body dia. 5mm
SSLD06	Body dia. 6mm
SSLD08	Body dia. 8mm



Twisted Shackle with Screwed Collar Pin



Order Code	Description
SST04	Body dia. 4mm
SST05	Body dia. 5mm
SST06	Body dia. 6mm
SST08	Body dia. 8mm

Wide Jaw Dee Shackle with Screw Collar Pin



Order Code	Description
SSWD05	Body dia. 5mm
SSWD06	Body dia. 6mm
SSWD08	Body dia. 8mm

Carbine Hooks (with & without Eyelet)



Order Code	Description
SSC05	Body dia. 5mm, without eyelet
SSC06	Body dia. 6mm, without eyelet
SSC07	Body dia. 7mm, without eyelet
SSC08	Body dia. 8mm, without eyelet
SSC10	Body dia. 10mm, without eyelet
SSCE04	Body dia. 4mm, with eyelet
SSCE05	Body dia. 5mm, with eyelet
SSCE06	Body dia. 6mm, with eyelet
SSCE07	Body dia. 7mm, with eyelet
SSCE08	Body dia. 8mm, with eyelet
SSCE010	Body dia. 10mm, with eyelet

